

令和4年度 大腸集団検診実施状況(最終報告)

令5年6月30日現在

区分		令和4年度(最終報告)			令和3年度(最終報告)			
		住民	事業所	計	住民	事業所	計	
受診者数(人)		19,945	3,323	23,268	18,837	3,608	22,445	
検 診 結 果	潜血陰性(人)	18,885	3,131	22,016	17,729	3,406	21,135	
	要精検者数(人)	1,060	192	1,252	1,108	202	1,310	
	要精検率(%)	5.3	5.8	5.4	5.9	5.6	5.8	
	精検受診者数(人)	795	83	878	853	91	944	
	精検受診率(%)	75.0	43.2	70.1	77.0	45.0	72.1	
	精 密 検 査 結 果	がん が ん 計	早期(人)	25	2	27	22	4
進行(人)			11	0	11	14	3	17
計(人)			36	2	38	36	7	43
非上皮性悪性腫瘍(人)		0	0	0	0	0	0	
カルチノイド(人)		2	0	2	1	0	1	
腺腫性ポリープ(人)		364	32	396	344	34	378	
非腺腫性ポリープ(人)		46	8	54	44	8	52	
潰瘍性大腸炎(人)		2	1	3	3	3	6	
クローン病(人)		0	0	0	0	0	0	
大腸憩室(人)		71	8	79	80	7	87	
結 果	その他の腸疾患(人)		17	0	17	20	1	21
	痔(人)		103	17	120	113	9	122
	その他(人)		6	0	6	7	1	8
	異常なし(人)		148	15	163	205	21	226
がん発見率(%)		0.18	0.06	0.16	0.19	0.19	0.19	
早期がん割合(%)		69.4	100.0	71.1	61.1	57.1	60.5	

令和4年度 市町別大腸集団検診結果（最終報告）

（令和5年6月30日現在）

保健福祉センター	市町名	受診者数(A)	初回受診者数	集団検診結果			要精検率 B/A %	精検受診者数 (C)	精検受診率 C/B %	精密検査結果															がん発見率 D/A %	
				潜在性	判定不能	要精検 (B)				大腸がん			大腸がん疑	非上皮性悪性腫瘍	カルチノイド	腺腫性ポリープ	非腺腫性ポリープ	炎症性腸疾患		大腸憩室	その他の腸疾患	痔	胃の疾患	その他の		異常なし
										計	早期	進行						潰瘍性大腸炎	クローン病							
南加賀		3,617	643	3,427		190	5.3	155	81.6	7	5	2				68	10			21	7	15		1	26	0.19
	加賀市	3,411	570	3,236		175	5.1	145	82.9	7	5	2				63	9			18	7	15		1	25	0.21
	小松市																									
	能美市																									
	川北町	206	73	191		15	7.3	10	66.7							5	1			3					1	
石川中央		4,154	1,044	3,933		221	5.3	169	76.5	9	6	3			1	90	9	1		10	3	17		1	28	0.22
	白山市	2,777	520	2,636		141	5.1	114	80.9	5	3	2				59	7	1		8	3	13			18	0.18
	野々市市	1,377	524	1,297		80	5.8	55	68.8	4	3	1			1	31	2			2		4		1	10	0.29
	津幡町																									
	かほく市																									
	内灘町																									
能登中部		6,201	870	5,863		338	5.5	257	76.0	7	4	3			1	102	18			19	3	43	1	1	62	0.11
	羽咋市	859	137	808		51	5.9	37	72.5	1	1					4	4			4	1	9			14	0.12
	志賀町	1,473	189	1,390		83	5.6	60	72.3	2	2					27	5			3		7			16	0.14
	宝達志水町	969	136	925		44	4.5	31	70.5	2	1	1				15	3			2		4	1		4	0.21
	七尾市	2,900	408	2,740		160	5.5	129	80.6	2		2			1	56	6			10	2	23		1	28	0.07
	中能登町																									
能登北部		3,161	617	2,974		187	5.9	139	74.3	9	7	2				67	5			15	2	19			22	0.28
	輪島市	1,157	195	1,097		60	5.2	47	78.3	2	1	1				18	2			5	1	12			7	0.17
	穴水町	461	110	433		28	6.1	20	71.4	1	1					6	1			5	1				6	0.22
	能登町	654	139	619		35	5.4	26	74.3	3	3					12	2			1		2			6	0.46
	珠洲市	889	173	825		64	7.2	46	71.9	3	2	1				31				4		5			3	0.34
金沢市		2,812	1,054	2,688		124	4.4	75	60.5	4	3	1				37	4	1		6	2	9		2	10	0.14
市町計		19,945	4,228	18,885		1,060	5.3	795	75.0	36	25	11			2	364	46	2		71	17	103	1	5	148	0.18
事業所計		3,323	449	3,131		192	5.8	83	43.2	2	2					32	8	1		8		17			15	0.06
合計		23,268	4,677	22,016		1,252	5.4	878	70.1	38	27	11			2	396	54	3		79	17	120	1	5	163	0.16

令和４年度 性別・年齢階級別大腸がん集団検診結果

(令和５年６月３０日現在) 〃

性別	年齢	受診者数(A)	初回受診者数	集団検診結果			要精検率 B/A %	精検受診者数 (C)	精検受診率 C/B %	精密検査結果															がん発見率 D/A %	
				潜血陰性	判定不能	要精検(B)				大腸がん			大腸がん疑	非上皮性悪性腫瘍	カルチノイド	腺腫性ポリープ	非腺腫性ポリープ	炎症性腸疾患		大腸憩室	その他の腸疾患	痔	胃の疾患	その他		異常なし
										計	早期	進行						潰瘍性大腸炎	クローン病							
男	19歳以下	2	2	2																						
	20～24	6	4	5		1	16.7																			
	25～29	7	3	7																						
	30～34	22	7	21		1	4.5	1	100.0										1							
	35～39	111	34	103		8	7.2																			
	39歳以下計	148	50	138		10	6.8	1	10.0											1						
	40～44	491	216	474		17	3.5	10	58.8						4			1		4				1		
	45～49	734	149	699		35	4.8	21	60.0	3	2	1			5	1		3		3				6	0.41	
	50～54	750	167	706		44	5.9	24	54.5						11	4	1	1		3				4		
	55～59	648	137	604		44	6.8	24	54.5						7	2		3		3				9		
	60～64	969	259	903		66	6.8	33	50.0	2	1	1			14	2		4	1	7			3	0.21		
	65～69	1,481	310	1,381		100	6.8	68	68.0	5	4	1			39	2		8	3	7			4	0.34		
	70～74	2,076	256	1,923		153	7.4	119	77.8	8	5	3			52	12		13	1	16			17	0.39		
	75～79	1,420	148	1,304		116	8.2	85	73.3	4	4				50	6		8		11			6	0.28		
	80～84	680	62	619		61	9.0	47	77.0	2	2				25	1	1	6		7			5	0.29		
	85歳以上	261	20	228		33	12.6	23	69.7						15	1		1					6			
	40歳以上計	9,510	1,724	8,841		669	7.0	454	67.9	24	18	6			222	31	2	48	5	61			61	0.25		
計	9,658	1,774	8,979		679	7.0	455	67.0	24	18	6			222	31	2	48	5	62			61	0.25			
女	19歳以下	1	1			1	100.0																			
	20～24	6	3	6																						
	25～29	7	4	7																						
	30～34	9	4	8		1	11.1																			
	35～39	67	25	64		3	4.5	2	66.7											2						
	39歳以下計	90	37	85		5	5.6	2	40.0											2						
	40～44	1,009	510	960		49	4.9	25	51.0	1	1				4	1		1	3	3			12	0.10		
	45～49	1,228	365	1,185		43	3.5	26	60.5						9	4				6			7			
	50～54	1,304	359	1,256		48	3.7	30	62.5	1	1			1	11	1		4	2	1		1	8	0.08		
	55～59	1,254	284	1,218		36	2.9	31	86.1						14	2		4		4			7			
	60～64	1,662	367	1,598		64	3.9	44	68.8	2	2				14	4		4	3	3			14	0.12		
	65～69	2,214	415	2,113		101	4.6	79	78.2	2	1	1			36	4		5	1	16		1	14	0.09		
	70～74	2,532	317	2,427		105	4.1	89	84.8	6	3	3			40	4		4	2	11		1	21	0.24		
	75～79	1,497	152	1,427		70	4.7	55	78.6					1	30	3		5		8		1	7			
	80～84	608	61	572		36	5.9	31	86.1	1		1			14		1	3	1	1	1	1	8	0.16		
	85歳以上	212	36	196		16	7.5	11	68.8	1	1				2			1		3			4	0.47		
	40歳以上計	13,520	2,866	12,952		568	4.2	421	74.1	14	9	5			2	174	23	1	31	12	56	1	5	102	0.10	
計	13,610	2,903	13,037		573	4.2	423	73.8	14	9	5			2	174	23	1	31	12	58	1	5	102	0.10		
合計		23,268	4,677	22,016		1,252	5.4	878	70.1	38	27	11			2	396	54	3	79	17	120	1	5	163	0.16	

令和４年度 性別・年齢階級別大腸がん集団検診結果（住民）

（令和５年６月３０日現在）

性別	年 齢	受 診 者 数 (A)	初 回 受 診 者 数	集 団 検 診 結 果			要 精 検 率 B/A %	精 検 受 診 者 数 (C)	精 検 受 診 率 C/B %	精 密 検 査 結 果																がん 発 見 率 D/A %
				潜 血 陰 性	判 定 不 能	要 精 検 (B)				大 腸 が ん			大 腸 が ん 疑	非 上 皮 性 悪 性 腫 瘍	カ ル チ ノ イ ド	腺 腫 性 ポ リ ー プ	非 腺 腫 性 ポ リ ー プ	炎 症 性 腸 疾 患		大 腸 憩 室	そ の 他 の 腸 疾 患	痔	胃 の 疾 患	そ の 他	異 常 な し	
										潰 瘍 性 大 腸 炎	ク ロ ー ン 病															
												計						早 期	進 行							
男	1 9 歳 以 下																									
	2 0 ～ 2 4																									
	2 5 ～ 2 9																									
	3 0 ～ 3 4																									
	3 5 ～ 3 9																									
	39歳以下計																									
	4 0 ～ 4 4	287	185	279		8	2.8	4	50.0							3						1				
	4 5 ～ 4 9	392	109	374		18	4.6	13	72.2	2	1	1				2	1		1		2			5	0.51	
	5 0 ～ 5 4	435	146	414		21	4.8	13	61.9							6	2				1			4		
	5 5 ～ 5 9	378	113	348		30	7.9	17	56.7							5	1		3		2			6		
	6 0 ～ 6 4	639	191	595		44	6.9	27	61.4	2	1	1				13	2		3	1	4			2	0.31	
	6 5 ～ 6 9	1,251	290	1,173		78	6.2	57	73.1	4	3	1				30	2		7	3	7			4	0.32	
	7 0 ～ 7 4	1,936	246	1,797		139	7.2	111	79.9	8	5	3				48	10		13	1	15			16	0.41	
	7 5 ～ 7 9	1,397	146	1,282		115	8.2	85	73.9	4	4					50	6		8		11			6	0.29	
	8 0 ～ 8 4	680	62	619		61	9.0	47	77.0	2	2					25	1	1	6		7			5	0.29	
	8 5 歳 以 上	261	20	228		33	12.6	23	69.7							15	1		1					6		
	40歳以上計	7,656	1,508	7,109		547	7.1	397	72.6	22	16	6				197	26	1		42	5	50			54	0.29
	計	7,656	1,508	7,109		547	7.1	397	72.6	22	16	6				197	26	1		42	5	50			54	0.29
女	1 9 歳 以 下																									
	2 0 ～ 2 4																									
	2 5 ～ 2 9																									
	3 0 ～ 3 4																									
	3 5 ～ 3 9																									
	39歳以下計																									
	4 0 ～ 4 4	874	488	834		40	4.6	22	55.0	1	1					3			1	3	3			11	0.11	
	4 5 ～ 4 9	1,034	336	1,000		34	3.3	22	64.7							9	2				6			5		
	5 0 ～ 5 4	1,072	326	1,033		39	3.6	28	71.8	1	1				1	11	1		4	2	1		1	6	0.09	
	5 5 ～ 5 9	998	257	972		26	2.6	26	100.0							12	2		3		3			6		
	6 0 ～ 6 4	1,445	346	1,388		57	3.9	41	71.9	2	2					12	4		4	3	3			13	0.14	
	6 5 ～ 6 9	2,085	405	1,991		94	4.5	75	79.8	2	1	1				35	4		4	1	15		1	13	0.10	
	7 0 ～ 7 4	2,472	314	2,370		102	4.1	87	85.3	6	3	3				39	4		4	2	10		1	21	0.24	
	7 5 ～ 7 9	1,490	151	1,421		69	4.6	55	79.7						1	30	3		5		8		1	7		
	8 0 ～ 8 4	608	61	572		36	5.9	31	86.1	1		1				14		1	3	1	1	1	1	8	0.16	
	8 5 歳 以 上	211	36	195		16	7.6	11	68.8	1	1					2			1		3			4	0.47	
	40歳以上計	12,289	2,720	11,776		513	4.2	398	77.6	14	9	5			2	167	20	1		29	12	53	1	5	94	0.11
	計	12,289	2,720	11,776		513	4.2	398	77.6	14	9	5			2	167	20	1		29	12	53	1	5	94	0.11
合 計		19,945	4,228	18,885		1,060	5.3	795	75.0	36	25	11			2	364	46	2		71	17	103	1	5	148	0.18

令和４年度 性別・年齢階級別大腸がん集団検診結果（事業所）

（令和５年６月３０日現在）

性別	年齢	受診者数(A)	初回受診者数	集団検診結果			要精検率 B/A %	精検受診者数 (C)	精検受診率 C/B %	精密検査結果															がん発見率 D/A %	
				潜血陰性	判定不能	要精検(B)				大腸がん			大腸がん疑	非上皮性悪性腫瘍	カルチノイド	腺腫性ポリープ	非腺腫性ポリープ	炎症性腸疾患		大腸憩室	その他の腸疾患	痔	胃の疾患	その他		異常なし
										計	早期	進行						潰瘍性大腸炎	クローン病							
男	19歳以下	2	2	2																						
	20～24	6	4	5		1	16.7																			
	25～29	7	3	7																						
	30～34	22	7	21		1	4.5	1	100.0											1						
	35～39	111	34	103		8	7.2																			
	39歳以下計	148	50	138		10	6.8	1	10.0											1						
	40～44	204	31	195		9	4.4	6	66.7						1				1		3			1		
	45～49	342	40	325		17	5.0	8	47.1	1	1				3				2		1			1	0.29	
	50～54	315	21	292		23	7.3	11	47.8						5	2	1		1		2					
	55～59	270	24	256		14	5.2	7	50.0						2	1				1				3		
	60～64	330	68	308		22	6.7	6	27.3						1				1		3			1		
	65～69	230	20	208		22	9.6	11	50.0	1	1				9				1						0.43	
	70～74	140	10	126		14	10.0	8	57.1						4	2					1			1		
	75～79	23	2	22		1	4.3																			
	80～84																									
	85歳以上																									
	40歳以上計	1,854	216	1,732		122	6.6	57	46.7	2	2					25	5	1		6		11		7	0.11	
計	2,002	266	1,870		132	6.6	58	43.9	2	2					25	5	1		6		12		7	0.10		
女	19歳以下	1	1			1	100.0																			
	20～24	6	3	6																						
	25～29	7	4	7																						
	30～34	9	4	8		1	11.1																			
	35～39	67	25	64		3	4.5	2	66.7											2						
	39歳以下計	90	37	85		5	5.6	2	40.0											2						
	40～44	135	22	126		9	6.7	3	33.3					1	1								1			
	45～49	194	29	185		9	4.6	4	44.4						2									2		
	50～54	232	33	223		9	3.9	2	22.2															2		
	55～59	256	27	246		10	3.9	5	50.0						2				1		1			1		
	60～64	217	21	210		7	3.2	3	42.9						2									1		
	65～69	129	10	122		7	5.4	4	57.1						1				1		1			1		
	70～74	60	3	57		3	5.0	2	66.7						1						1					
	75～79	7	1	6		1	14.3																			
	80～84																									
	85歳以上	1		1																						
	40歳以上計	1,231	146	1,176		55	4.5	23	41.8						7	3			2		3			8		
計	1,321	183	1,261		60	4.5	25	41.7						7	3			2		5			8			
合 計		3,323	449	3,131		192	5.8	83	43.2	2	2				32	8	1		8		17		15	0.06		