

令和元年度 大腸集団検診実施状況(最終報告)

令和2年6月30日現在

区分		令和元年度(最終報告)			平成30年度(最終報告)			
		住民	事業所	計	住民	事業所	計	
受診者数(人)		23,250	3,145	26,395	24,315	2,949	27,264	
検 診 結 果	潜血陰性(人)		21,837	2,963	24,800	22,878	2,816	25,694
	要精検者数(人)		1,413	182	1,595	1,437	133	1,570
	要精検率(%)		6.1	5.8	6.0	5.9	4.5	5.8
	精検受診者数(人)		1,088	51	1,139	1,102	55	1,157
	精検受診率(%)		77.0	28.0	71.4	76.7	41.4	73.7
精 密	がん	早期(人)	36	0	36	24	0	24
		進行(人)	17	0	17	13	1	14
		計(人)	53	0	53	37	1	38
検 査	非上皮性悪性腫瘍(人)		0	0	0	0	0	0
	カルチノイド(人)		0	0	0	3	0	3
	腺腫性ポリープ(人)		425	14	439	467	22	489
	非腺腫性ポリープ(人)		89	4	93	70	3	73
	潰瘍性大腸炎(人)		2	0	2	4	0	4
結 果	クローン病(人)		2	0	2	0	0	0
	大腸憩室(人)		97	3	100	82	2	84
	その他の腸疾患(人)		30	3	33	28	1	29
	痔(人)		181	6	187	165	9	174
	その他(人)		3	0	3	7	0	7
果	異常なし(人)		206	21	227	239	17	256
がん発見率(%)		0.23	－	0.20	0.15	0.03	0.14	
早期がん割合(%)		67.9	－	67.9	64.9	－	63.2	

令和元年度 市町別大腸集団検診結果（最終報告）

（令和2年6月30日現在）

保健福祉センター	市町名	受診者数 (A)初回受診者数		集団検診結果			要精検率 B/A %	精検受診者数 (C)	精検受診率 C/B %	精密検査結果															がん発見率 D/A %	
				潜在性	判定不能	要精検 (B)				大腸がん			大腸がん疑	非上皮性悪性腫瘍	カルチノイド	腺腫性ポリープ	非腺腫性ポリープ	炎症性腸疾患		大腸憩室	その他の腸疾患	痔	胃の疾患	その他		異常なし
										計	早期	進						潰瘍性大腸炎	クローン病							
南加賀		3,984	536	3,733		251	6.3	197	78.5	10	6	4				84	16			23	5	29		2	28	0.25
	加賀市	3,754	483	3,517		237	6.3	187	78.9	9	5	4				79	16			23	4	28		2	26	0.24
	小松市																									
	能美市																									
	川北町	230	53	216		14	6.1	10	71.4	1	1					5					1	1			2	0.43
石川中央		4,952	988	4,691		261	5.3	203	77.8	9	7	2				70	18	2		20	5	32		1	46	0.18
	白山市	3,046	559	2,882		164	5.4	124	75.6	5	4	1				38	11	1		11	2	24			32	0.16
	野々市市	1,906	429	1,809		97	5.1	79	81.4	4	3	1				32	7	1		9	3	8		1	14	0.21
	津幡町																									
	かほく市																									
	内灘町																									
能登中部		7,454	1,036	6,973		481	6.5	372	77.3	24	17	7				131	29		1	31	6	62			88	0.32
	羽咋市	1,070	140	1,010		60	5.6	46	76.7	5	3	2				14	5		1	4	2	9			6	0.47
	志賀町	1,892	234	1,736		156	8.2	119	76.3	9	6	3				47	7			9	1	23			23	0.48
	宝達志水町	1,128	194	1,071		57	5.1	50	87.7	4	3	1				21	6			2	1	11			5	0.35
	七尾市	3,364	468	3,156		208	6.2	157	75.5	6	5	1				49	11			16	2	19			54	0.18
	中能登町																									
能登北部		3,639	661	3,386		253	7.0	204	80.6	8	5	3				98	15			12	6	40			25	0.22
	輪島市	1,437	209	1,338		99	6.9	84	84.8	3	2	1				37	8			7	4	19			6	0.21
	穴水町	499	89	464		35	7.0	25	71.4	3	1	2				9	2			1	2	2			6	0.60
	能登町	799	194	750		49	6.1	41	83.7							18	2			3		9			9	
	珠洲市	904	169	834		70	7.7	54	77.1	2	2					34	3			1		10			4	0.22
金沢市		3,221	1,147	3,054		167	5.2	112	67.1	2	1	1				42	11		1	11	8	18			19	0.06
市町村計		23,250	4,368	21,837		1,413	6.1	1,088	77.0	53	36	17				425	89	2	2	97	30	181		3	206	0.23
事業所計		3,145	585	2,963		182	5.8	51	28.0							14	4			3	3	6			21	
合計		26,395	4,953	24,800		1,595	6.0	1,139	71.4	53	36	17				439	93	2	2	100	33	187		3	227	0.20

令和元年度 性別・年齢階級別大腸がん集団検診結果

(令和2年6月30日現在)

性別	年齢	受診者数 (A)		集団検診結果			要精検率 B/A %	精検受診者数 (C)	精検受診率 C/B %	精密検査結果														がん発見率 D/A %		
				潜血陰性	判定不能	要精検(B)				大腸がん			大腸がん疑	非上皮性悪性腫瘍	カルチノイド	腺腫性ポリープ	非腺腫性ポリープ	炎症性腸疾患		大腸憩室	その他の腸疾患	痔	胃の疾患		その他	異常なし
										計(D)	早期	進行						潰瘍性大腸炎	クローン病							
男	19歳以下	1	1	1																						
	20～24	5	2	3		2	40.0	2	100.0															2		
	25～29	7	1	7																						
	30～34	30	14	27		3	10.0	3	100.0							2								1		
	35～39	133	26	126		7	5.3																			
	39歳以下計	176	44	164		12	6.8	5	41.7							2								3		
	40～44	674	268	640		34	5.0	19	55.9						8	6	1				1			3		
	45～49	781	169	733		48	6.1	17	35.4						6	2		4						5		
	50～54	654	143	621		33	5.0	15	45.5						6		1	2	1	2				3		
	55～59	719	151	681		38	5.3	19	50.0	2	1	1			10	1		1		3			2	0.28		
	60～64	929	222	863		66	7.1	31	47.0	3	1	2			15	1		2	1	5			4	0.32		
	65～69	1,935	358	1,807		128	6.6	77	60.2	5	4	1			41	7		6	2	7			9	0.26		
	70～74	2,484	248	2,266		218	8.8	161	73.9	10	7	3			86	13		12	2	18			20	0.40		
	75～79	1,433	105	1,299		134	9.4	105	78.4	9	6	3			50	10		9	2	14			11	0.63		
	80～84	634	36	555		79	12.5	68	86.1	5	3	2			30	7	1	7	1	9			8	0.79		
	85歳以上	236	24	201		35	14.8	26	74.3	1	1				10	4		2		4			5	0.42		
	40歳以上計	10,479	1,724	9,666		813	7.8	538	66.2	35	23	12			262	51	2	1	45	9	63			70	0.33	
計	10,655	1,768	9,830		825	7.7	543	65.8	35	23	12			262	53	2	1	45	9	63			73	0.33		
女	19歳以下																									
	20～24	8	1	6		2	25.0																			
	25～29	11	8	9		2	18.2	1	50.0														1			
	30～34	9	2	9																						
	35～39	94	35	91		3	3.2	1	33.3									1								
	39歳以下計	122	46	115		7	5.7	2	28.6									1					1			
	40～44	1,397	723	1,338		59	4.2	37	62.7	1	1				6	2	1	2	5	4		1	15	0.07		
	45～49	1,430	405	1,391		39	2.7	29	74.4	1	1				4	5		1	1	4			13	0.07		
	50～54	1,274	345	1,211		63	4.9	39	61.9	1		1			6	2		4	1	10			15	0.08		
	55～59	1,443	326	1,397		46	3.2	31	67.4						10	3		7	1	6			4			
	60～64	1,990	448	1,890		100	5.0	86	86.0	6	3	3			27	8		10	2	18			15	0.30		
	65～69	2,811	378	2,679		132	4.7	106	80.3	3	3				34	4		12	3	20			30	0.11		
	70～74	2,972	310	2,806		166	5.6	138	83.1	1	1				43	6		8	5	36		1	38	0.03		
	75～79	1,504	118	1,417		87	5.8	72	82.8	3	2	1			23	5		8		17		1	15	0.20		
	80～84	588	58	538		50	8.5	42	84.0	2	2				18	3		2	4	7			6	0.34		
	85歳以上	209	28	188		21	10.0	14	66.7						6	2		1	1	2			2			
	40歳以上計	15,618	3,139	14,855		763	4.9	594	77.9	18	13	5			177	40	1	55	23	124		3	153	0.12		
計	15,740	3,185	14,970		770	4.9	596	77.4	18	13	5			177	40		1	55	24	124		3	154	0.11		
合 計		26,395	4,953	24,800		1,595	6.0	1,139	71.4	53	36	17			439	93	2	2	100	33	187		3	227	0.20	

令和元年度 性別・年齢階級別大腸がん集団検診結果（住民）

（令和2年6月30日現在）

性別	年齢	受診者数 (A)	初回受診者数	集団検診結果			要精検率 B/A %	精検受診者数 (C)	精検受診率 C/B %	精密検査結果															がん発見率 D/A %	
				潜血陰性	判定不能	要精検(B)				大腸がん			大腸がん疑	非上皮性悪性腫瘍	カルチノイド	腺腫性ポリープ	非腺腫性ポリープ	炎症性腸疾患		大腸憩室	その他の腸疾患	痔	胃の疾患	その他		異常なし
										計(D)	早期	進行						潰瘍性大腸炎	クローン病							
男	19歳以下																									
	20～24																									
	25～29																									
	30～34																									
	35～39	2		2																						
	39歳以下計	2		2																						
	40～44	397	222	376		21	5.3	17	81.0						6	6	1				1			3		
	45～49	469	124	447		22	4.7	11	50.0						5	1			3					2		
	50～54	405	103	389		16	4.0	10	62.5						5			1	2		1			1		
	55～59	429	99	407		22	5.1	15	68.2	2	1	1			7	1			1		3			1	0.47	
	60～64	690	171	642		48	7.0	26	54.2	3	1	2			15	1			1		4			2	0.43	
	65～69	1,727	313	1,619		108	6.3	71	65.7	5	4	1			38	7			6	2	6			7	0.29	
	70～74	2,374	220	2,165		209	8.8	159	76.1	10	7	3			84	13			12	2	18			20	0.42	
	75～79	1,427	104	1,294		133	9.3	104	78.2	9	6	3			50	10			9	2	14			10	0.63	
	80～84	632	36	554		78	12.3	67	85.9	5	3	2			30	7	1		7	1	9			7	0.79	
	85歳以上	235	24	200		35	14.9	26	74.3	1	1				10	4			2		4			5	0.43	
	40歳以上計	8,785	1,416	8,093		692	7.9	506	73.1	35	23	12			250	50	2	1	43	7	60			58	0.40	
	計	8,787	1,416	8,095		692	7.9	506	73.1	35	23	12			250	50	2	1	43	7	60			58	0.40	
女	19歳以下																									
	20～24																									
	25～29																									
	30～34	1	1	1																						
	35～39	9	3	9																						
	39歳以下計	10	4	10																						
	40～44	1,234	686	1,179		55	4.5	36	65.5	1	1				6	2		1	2	5	4		1	14	0.08	
	45～49	1,224	367	1,191		33	2.7	26	78.8	1	1				4	4			1	1	4			11	0.08	
	50～54	1,060	321	1,011		49	4.6	32	65.3	1		1			5	2			3	1	7			13	0.09	
	55～59	1,226	286	1,189		37	3.0	31	83.8						10	3			7	1	6			4		
	60～64	1,783	416	1,686		97	5.4	85	87.6	6	3	3			26	8			10	2	18			15	0.34	
	65～69	2,698	367	2,568		130	4.8	106	81.5	3	3				34	4			12	3	20			30	0.11	
	70～74	2,932	302	2,770		162	5.5	138	85.2	1	1				43	6			8	5	36		1	38	0.03	
	75～79	1,500	117	1,413		87	5.8	72	82.8	3	2	1			23	5			8		17		1	15	0.20	
	80～84	587	58	537		50	8.5	42	84.0	2	2				18	3			2	4	7			6	0.34	
	85歳以上	209	28	188		21	10.0	14	66.7						6	2			1	1	2			2		
	40歳以上計	14,453	2,948	13,732		721	5.0	582	80.7	18	13	5			175	39		1	54	23	121		3	148	0.12	
	計	14,463	2,952	13,742		721	5.0	582	80.7	18	13	5			175	39		1	54	23	121		3	148	0.12	
合 計		23,250	4,368	21,837		1,413	6.1	1,088	77.0	53	36	17			425	89	2	2	97	30	181		3	206	0.23	

令和元年度 性別・年齢階級別大腸がん集団検診結果（事業所）

（令和2年6月30日現在）

性別	年齢	受診者数(A)	初回受診者数	集団検診結果			要精検率 B/A %	精検受診者数 (C)	精検受診率 C/B %	精密検査結果														がん発見率 D/A %		
				潜血陰性	判定不能	要精検(B)				大腸がん			大腸がん疑	非上皮性悪性腫瘍	カルチノイド	腺腫性ポリープ	非腺腫性ポリープ	炎症性腸疾患		大腸憩室	その他の腸疾患	痔	胃の疾患		その他	異常なし
										潰瘍性大腸炎	クローン病															
												計						早期	進行							
男	19歳以下	1	1	1																						
	20～24	5	2	3		2	40.0	2	100.0															2		
	25～29	7	1	7																						
	30～34	30	14	27		3	10.0	3	100.0						2									1		
	35～39	131	26	124		7	5.3																			
	39歳以下計	174	44	162		12	6.9	5	41.7						2										3	
	40～44	277	46	264		13	4.7	2	15.4					2												
	45～49	312	45	286		26	8.3	6	23.1					1	1		1							3		
	50～54	249	40	232		17	6.8	5	29.4					1				1	1					2		
	55～59	290	52	274		16	5.5	4	25.0					3										1		
	60～64	239	51	221		18	7.5	5	27.8								1	1	1					2		
	65～69	208	45	188		20	9.6	6	30.0					3					1					2		
	70～74	110	28	101		9	8.2	2	22.2					2												
	75～79	6	1	5		1	16.7	1	100.0															1		
	80～84	2		1		1	50.0	1	100.0															1		
	85歳以上	1		1																						
	40歳以上計	1,694	308	1,573		121	7.1	32	26.4					12	1		2	2	3					12		
	計	1,868	352	1,735		133	7.1	37	27.8						12	3		2	2	3					15	
	女	19歳以下																								
20～24		8	1	6		2	25.0																			
25～29		11	8	9		2	18.2	1	50.0															1		
30～34		8	1	8																						
35～39		85	32	82		3	3.5	1	33.3									1								
39歳以下計		112	42	105		7	6.3	2	28.6									1						1		
40～44		163	37	159		4	2.5	1	25.0															1		
45～49		206	38	200		6	2.9	3	50.0						1									2		
50～54		214	24	200		14	6.5	7	50.0					1			1		3				2			
55～59		217	40	208		9	4.1																			
60～64		207	32	204		3	1.4	1	33.3					1												
65～69		113	11	111		2	1.8																			
70～74		40	8	36		4	10.0																			
75～79		4	1	4																						
80～84		1		1																						
85歳以上																										
40歳以上計		1,165	191	1,123		42	3.6	12	28.6					2	1		1		3					5		
計		1,277	233	1,228		49	3.8	14	28.6						2	1		1	1	3				6		
合 計		3,145	585	2,963		182	5.8	51	28.0					14	4		3	3	6				21			